

SONIC SX

[illegible]

SONIC SX 1 LOW

UD Carbon, green
525901280440

400 Wh



NEW!

SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore CS-M6100-12 10-51T
Ladegerät	Charger	Bosch Compact Ladegerät 2A	Bremsen	Brakes	SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm SHIMANO SM-RT30 CL / 180 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	RUMBLE Altimate
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	RUMBLE Altimate
Rahmen	Frame	Full Carbon monocoque frame, integrated rear light, thru axle	Sattelstütze	Seatpost	LIMOTEC, Alpha Series A1-UH ultra lite 125 mm
Rahmenhöhe	Framesize	S/M	Sattel	Saddle	SELLE ROYAL SRX
Gabel	Fork	SR SUNTOUR Raidon 34 Air 120 mm	Laufрад	Wheelset	SHIMANO WH-MT620, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Bereifung	Tires	SCHWALBE NOBBY NIC Perf, Folding 62-622 29 x 2,40
Gänge	Gear	derailleur 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+			
Kurbelgarnitur	Crankset	SAMOX EC40			

SONIC EVO SX 1

UD carbon, green
524901200440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	BULLS LYTRO 34 SL LOR Air DS Boost 120 mm	Lauftrad	Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO SX 2

UD carbon, black
524901240440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Schalthebel	Shifter	SRAM GX Eagle AXS
Ladegerät	Charger	2 A charger	Kassette	Cassette	SRAM XG 1275 Eagle 10-52T
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL TRP 180 mm CL
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS riserbar
		carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame		Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox SID RL Boost DEBONAIR 120 mm	Laufрад	Wheelset	MAVIC E-Crossmax XL S CL
Schaltwerk	Gearshift	SRAM GX Eagle AXS	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC SX DAKAR LOW

monza grey, UD carbon
525901520440

400 Wh



NEW!

SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Bremsen	Brakes	SHIMANO BR-MT420 hydraulic disc brake
Ladegerät	Charger	Bosch Compact Ladegerät 2A	Lenker	Handlebar	SHIMANO SM-RT30 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Vorbau	Stem	SHIMANO SM-RT30 CL / 180 mm
Display	Display	Bosch Mini Remote und System Controller	Sattelstütze	Seatpost	RUMBLE Altimate
Rahmen	Frame	Full Carbon monocoque frame, integrated rear light, thru axle	Sattel	Saddle	RUMBLE Altimate
Rahmenhöhe	Framesize	S/M	Laufрад	Wheelset	LIMOTEC, Alpha Series A1-UH ultra lite
Gabel	Fork	RockShox PSYLO Gold Air 120 mm			125 mm
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur 12-speed	Bereifung	Tires	Prologo Proxim 400 wide
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+	Scheinwerfer	Front light	MAVIC E-Crossride
Schalthebel	Shifter	SAMOX EC40	Rücklicht	Rear light	SCHWALBE G-One Allround Reflex
Kurbelgarnitur	Crankset	SHIMANO Deore CS-M6100-12 10-51T	Gepäckträger	Carrier	57-622 29 x 2,25
Kassette	Cassette				FUXON FF-100 EB, 100 Lux LED with sensor and daylight
					MonkeyLink Twinlight
					BULLS Alu

SONIC EVO SX DAKAR

UD carbon, monza grey
524901480440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm SHIMANO RT-EM300 CL 180 mm
Ladegerät	Charger	2 A charger	Lenker	Handlebar	BULLS riserbar
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Display	Display	Bosch Mini Remote und System Controller	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Sattel	Saddle	Prologo Proxim 400
Rahmenhöhe	Framesize	S/M/L/XL	Lauftrad	Wheelset	MAVIC E-Crossride 1 CL MS
Gabel	Fork	RockShox Psylo Gold Air 120 mm	Bereifung	Tires	SCHWALBE G-One Allround Reflex 57-622
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 derailleur 12-speed	Scheinwerfer	Front light	MonkeyLink HS-100 HIGH-BEAM 100 Lux with high/low beam
Gänge	Gear	SHIMANO SL-M8100-IR	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	SHIMANO SL-M8100-IR			
Kassette	Cassette	CS-M6100-12, 10-51T			

SONIC EVO AM SX 1

UD carbon, light grey
524901320440

400 Wh



SONIC SX / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



BOSCH



140 mm



130 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV
Ladegerät	Charger	2 A charger	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Bremsen	Brakes	SHIMANO BR-MT420 hydraulic disc brake (Center Lock 203/180 mm)
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS riserbar
		carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame		Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	BULLS LYTRO 34 SL Air Boost 140 mm	Lauftrad	Wheelset	MAVIC E-Crossride 1 CL MS
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR	Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM SX 2

UD carbon, black
524901360440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



CARBON



140 mm



130 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Schalthebel	Shifter	SRAM GX Eagle AXS
Ladegerät	Charger	2 A charger	Kassette	Cassette	SRAM XG 1275 Eagle 10-52T
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL TRP 203 mm CL
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS Enduro carbon 35 mm
		carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame		Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox Pike Select Boost DEBONAIR 140 mm	Lauftrad	Wheelset	MAVIC E-Crossmax CL
Dämpfer	Shock	RockShox Deluxe Select+ RT, DebonAir	Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
Schaltwerk	Gearshift	SRAM GX Eagle AXS	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM SX I

UD carbon, polar silver
524901400440

400 Wh



SONIC SX / MOUNTAIN



Model 2024 checked



Model 2024 checked



ONLINE ORDER



BOSCH



140 mm



130 mm

BULLS D.R.C.

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Schalthebel	Shifter	SRAM AXS Controller Rocker
Ladegerät	Charger	2 A charger	Kassette	Cassette	SRAM XG 1299 Eagle 10-52T
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL TRP 203 mm CL
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS Enduro carbon 35 mm
		carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame		Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim W850
Gabel	Fork	RockShox Pike Ultimate Boost	Laufgrad	Wheelset	MAVIC E-Crossmax SL Carbon
		DEBONAIR 140 mm	Bereifung	Tires	Wicked Will Evolution Super Race/ Nobby Nic Evolution 62-622/62-522
Dämpfer	Shock	RockShox Ultimate RT Debonair	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schaltwerk	Gearshift	SRAM XX AXS	Rücklicht	Rear light	MonkeyLink Twinlight
Gänge	Gear	derailleur 12-speed			

SONIC EVA SX 1

UD carbon, dark rainbow
524901280440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	Poligon 45mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 SL Air Boost 120 mm	Laufgrad	Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVA AM SX 1

UD carbon, light emerald
524901440440

400 Wh



SONIC SX / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm



130 mm

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	Poligon 45mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 SL LOR Air DS Boost 140 mm	Laufрад	Wheelset	MAVIC E-Crossride 1 CL MS
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 130 mm	Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV			

SONIC AM

[illegible]

SONIC AM 1

pebble grey, black
525900240841

800 Wh



NEW!

SONIC AM / MOUNTAIN

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



black
525900250841



BOSCH



150 mm



150 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO SL-U6000
Ladegerät Charger	Ladegerät 4A, 36V	Kurbelgarnitur Crankset	SAMOX EC-53
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Kassette Cassette	SHIMANO DEORE CS-LG600-11 11-50T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	SHIMANO Deore BR-M6120 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm SHIMANO SM-RT30 203 mm CL
Rahmen Frame	Monocoque Carbon front triangle, integrated rear light, thru axle Integrated Steering Light	Lenker Handlebar	RUMBLE Altimate
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	RUMBLE Altimate
Gabel Fork	SR SUNTOUR ZERON 36 Air	Sattelstütze Seatpost	LIMOTEC Alpha Dropper Post
Dämpfer Shock	SR SUNTOUR EDGE X 2CR	Sattel Saddle	SELLE ROYAL SRX
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8130 LINKGLIDE	Felgen Rims	RADIALE MTB 30
Gänge Gear	derailleur 11-speed	Bereifung Tires	SCHWALBE Magic Mary Performance 62-622 29 x 2,40
		Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight

SONIC AM 2 ABS

black
525900290841

800 Wh



NEW!

SONIC AM / MOUNTAIN



ONLINE ORDER



pebble grey, black
525900280841



BOSCH



150 mm



150 mm



Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Gänge Gear	derailleur 11-speed
Ladegerät Charger	Ladegerät 4A, 36V	Schalthebel Shifter	SHIMANO SL-U6000
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Kurbelgarnitur Crankset	SAMOX EC-53
Display Display	Bosch Mini Remote und System Controller	Kassette Cassette	SHIMANO DEORE CS-LG600-11 11-50T
Rahmen Frame	Monocoque Carbon front triangle, integrated rear light, thru axle	Bremsen Brakes	TRP C2.3RX TRAIL-Caliper ABS
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	hydraulic disc brake TRP RC03E
Gabel Fork	SR SUNTOUR ZERON 36 Air ABS	Vorbau Stem	203 mm CL TRP RC03E-S 203 mm CL
Dämpfer Shock	SR SUNTOUR EDGE X 2CR	Sattelstütze Seatpost	RUMBLE Altimate
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8130 LINKGLIDE	Sattel Saddle	RUMBLE Altimate
		Felgen Rims	LIMOTEC Alpha Dropper Post
		Bereifung Tires	SELLE ROYAL SRX
		Scheinwerfer Front light	RADIALE MTB 30
		Rücklicht Rear light	SCHWALBE Magic Mary Performance
			62-622 29 x 2,40
			MonkeyLink Steering Light
			MonkeyLink Twinlight

SONIC AM 3

monza grey
525900320841

800 Wh



NEW!

SONIC AM / MOUNTAIN



ONLINE ORDER



BOSCH



150 mm



150 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kurbelgarnitur Crankset	E-Thirteen
Ladegerät Charger	Ladegerät 4A, 36V	Kassette Cassette	SRAM Eagle 70 Transmission 10-52T
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Bremsen Brakes	MAGURA Gustav Pro hydraulic disc brake RUMBLE 203 mm 8-Loch RUMBLE 203 mm 8-Loch
Display Display	Bosch Mini Remote und System Controller	Lenker Handlebar	RUMBLE Altimate PRO Carbon
Rahmen Frame	Monocoque Carbon front triangle, integrated rear light, thru axle Integrated Steering Light	Vorbau Stem	RUMBLE Altimate Pro Carbon, width: 780mm, Backsweep: 9°
Rahmenhöhe Framesize	S/M/L/XL	Sattelstütze Seatpost	LIMOTEC Alpha Dropper Post
Gabel Fork	SR SUNTOUR AION 36 Air 150 mm	Sattel Saddle	Prologo Proxim 400
Dämpfer Shock	RockShox Deluxe Select+ RL	Laufрад Wheelset	RUMBLE Impeller Pro
Schaltwerk Gearshift	SRAM S-Series Eagle AXS Transmission	Bereifung Tires	SCHWALBE Magic Mary Performance black 62-622 29 x 2,40
Gänge Gear	derailleur 12-speed	Scheinwerfer Front light	MONkeyLink Steering Light
Schalthebel Shifter	SRAM EC AXS Rocker	Rücklicht Rear light	MonkeyLink Twinlight

SONIC AM 4 ABS

monza grey
525900360841

800 Wh



NEW!

SONIC AM / MOUNTAIN



ONLINE ORDER

INNOVATION MODEL



BOSCH



150 mm



150 mm



BULLS D.R.C.

Motor	Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kurbelgarnitur	Crankset	E-Thirteen
Ladegerät	Charger	Ladegerät 4A, 36V	Kassette	Cassette	SRAM Eagle 70 Transmission 10-52T
Ladedauer	Charging time	800 Wh: appx. 6,9 hrs.	Bremsen	Brakes	MAGURA Gustav Pro ABS hydraulic disc brake RUMBLE 203 mm 8-Loch RUMBLE 203 mm 8-Loch
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	RUMBLE Altimate PRO Carbon
Rahmen	Frame	Monocoque Carbon front triangle, integrated rear light, thru axle Integrated Steering Light	Vorbau	Stem	RUMBLE Altimate Pro Carbon, width: 780 mm, Backsweep: 9°
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	LIMOTEC Alpha Dropper Post
Gabel	Fork	SR SUNTOUR AION 36 Air ABS 150 mm	Sattel	Saddle	Prologo Proxim 400
Dämpfer	Shock	RockShox Deluxe Select+ RL	Laufрад	Wheelset	RUMBLE Impeller Pro
Schaltwerk	Gearshift	SRAM S-Series Eagle AXS Transmission derailleur 12-speed	Bereifung	Tires	SCHWALBE Magic Mary EVO 62-622 29 x 2,40
Gänge	Gear	SRAM EC AXS Rocker	Scheinwerfer	Front light	MonkeyLink Steering Light
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EN-R

[illegible]

SONIC EN-R 1

pebble-grey, black
525900040644

600 Wh



NEW!

SONIC EN-R / MOUNTAIN



ONLINE ORDER



BOSCH



170 mm



160 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO DEORE XT SL-M8130, rapid-fire+, I-spec-EV
Ladegerät Charger	Ladegerät 4A, 36V	Kurbelgarnitur Crankset	SAMOX EC-53
Ladedauer Charging time	600 Wh: appx. 4,9 hrs.	Kassette Cassette	SHIMANO DEORE CS-LG600-11 11-50T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	SHIMANO Deore BR-M6120 hydraulic disc brake 220 mm 203 mm
Rahmen Frame	Full Carbon monocoque frame, integrated rear light, thru axle	Lenker Handlebar	RUMBLE Altimate
Rahmenhöhe Framesize	M/L	Vorbau Stem	RUMBLE Altimate
Gabel Fork	RockShox Domain Gold R 1.8 170 mm	Sattelstütze Seatpost	LIMOTEC Alpha Dropper Post
Dämpfer Shock	RockShox Deluxe Select+ RL	Sattel Saddle	SELLE ROYAL SRX
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8130 LINKGLIDE	Lauftrad Wheelset	MAVIC E-Deemax
Gänge Gear	derailleur 11-speed	Bereifung Tires	SCHWALBE Magic Mary 62-622 29 x 2,4 / Big Betty Performance 65-584 27,5 x 2,6

SONIC EN-R 2

silver, black
525900120644

600 Wh



NEW!

SONIC EN-R / MOUNTAIN



ONLINE ORDER



BOSCH



170 mm



160 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SRAM EC AXS Rocker
Ladegerät Charger	Ladegerät 4A, 36V	Kurbelgarnitur Crankset	SRAM GX Eagle
Ladedauer Charging time	600 Wh: appx. 4,9 hrs.	Kassette Cassette	SRAM Eagle 70 Transmission 10-52T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	TRP C2.3RX TRAIL / hydraulic disc brake TRP 220 mm 6-bolt TRP 203 mm 6-bolt
Rahmen Frame	Full Carbon monocoque frame, integrated rear light, thru axle	Lenker Handlebar	RUMBLE Altimate PRO Carbon
Rahmenhöhe Framesize	M/L	Vorbau Stem	Rumble Altimate Pro Carbon, width: 780mm, Backsweep: 9°
Gabel Fork	RockShox ZEB 170 mm	Sattelstütze Seatpost	8PINS hydraulisch dropper post
Dämpfer Shock	RockShox Super Deluxe	Sattel Saddle	Prologo Proxim Nembo
Schaltwerk Gearshift	SRAM GX Eagle AXS Transmission	Laufрад Wheelset	MAVIC E-Deemax
Gänge Gear	derailleur 12-speed	Bereifung Tires	SCHWALBE Tacky Chan EVO 62-622 29x2,4 / Big Betty EVO 65-584 27.5 x2.6

SONIC EN-R TEAM

electric-red, black
525900080644

600 Wh



NEW!

SONIC EN-R / MOUNTAIN



ONLINE ORDER



BOSCH



170 mm



160 mm

BULLS D.R.C.

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SRAM EC AXS Rocker
Ladegerät Charger	Ladegerät 4A, 36V	Kurbelgarnitur Crankset	SRAM XX Eagle Carbon
Ladedauer Charging time	600 Wh: appx. 4,9 hrs.	Kassette Cassette	SRAM GX Eagle XS 1275 Transmission 10-52T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	MAGURA Gustav Pro hydraulic disc brake 220 mm 203 mm
Rahmen Frame	Full Carbon monocoque frame, integrated rear light, thru axle	Lenker Handlebar	RUMBLE Altimate PRO Carbon
Rahmenhöhe Framesize	M/L	Vorbau Stem	RUMBLE Altimate Pro Carbon, width: 780mm, Backsweep: 9°
Gabel Fork	RockShox ZEB Ultimate 170 mm	Sattelstütze Seatpost	8PINS hydraulisch dropper post
Dämpfer Shock	RockShox Vivid Ultimate	Sattel Saddle	Prologo Proxim Nembo
Schaltwerk Gearshift	SRAM XX Eagle Transmission AXS	Lauftrad Wheelset	MAVIC Deemax Enduro
Gänge Gear	derailleur 12-speed	Bereifung Tires	SCHWALBE Tacky Chan EVO 62-622 29x2,4 / Big Betty EVO 65-584 27.5x2.6

[illegible]

SONIC

[illegible]

SONIC EVA

blue tinted white
524900160640

S-L: M-L:
625 Wh / 750 Wh

SONIC / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO LG400-10 11-48T
Ladegerät Charger	4 A charger	Bremsen Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS riserbar
Display Display	Bosch LED Remote	Vorbau Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Sattel Saddle	Prologo Proxim 400 wide
Rahmenhöhe Framesize	S/M/L	Felgen Rims	Rodi TRYP30 evo tubeless ready
Gabel Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur gear 10-speed	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter	SHIMANO SL-Cues 10		

SONIC EVO TR 1

SONIC / MOUNTAIN

monza grey
524900240641

S-XXL: M-XXL:

625 Wh / 750 Wh



ONLINE ORDER



BOSCH



120 mm



120 mm

Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	4 A charger	Kassette Cassette	SHIMANO CS-LG400-10 11-48T
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Display Display	Bosch LED Remote	Lenker Handlebar	BULLS riserbar
Rahmen Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Vorbau Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe Framesize	S/M/L/XL/XXL	Sattel Saddle	Prologo Proxim 400 wide
Gabel Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm	Felgen Rims	RODI TRYP30 evo tubeless ready
Dämpfer Shock	SR SUNTOUR Edge Plus R 210*50 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur gear 10-speed	Rücklicht Rear light	MonkeyLink Twinlight

SONIC EVO

dark petrol matt
524900120640

S-XXL: M-XXL:

625 Wh / 750 Wh



SONIC / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm

Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel	Shifter	SHIMANO Deore SL-M4100 with I-Spec EV
Ladegerät	Charger	Bosch charger 4A	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP Slate Evo, hydraulic disc brake, 203 mm / 203 mm
Display	Display	Bosch LED Remote	Lenker	Handlebar	Sport-SL CCS
		6061 aluminium, hydroforming,	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL/XXL	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Felgen	Rims	RODI Tryp 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Bereifung	Tires	SCHWALBE Smart Sam K-Guard 65-622 MonkeyLink Connect (lighting not included)
Gänge	Gear		Scheinwerfer	Front light	
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVA TR 1

blue tinted white
524900280640

S-L: M-L:
625 Wh / 750 Wh

SONIC / MOUNTAIN



ONLINE ORDER



BOSCH



120 mm



120 mm

Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Gänge	Gear	derailleur gear 10-speed
Ladegerät	Charger	Bosch charger 4A	Schalthebel	Shifter	SHIMANO Deore SL-M4100 with I-Spec EV
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Display	Display	Bosch LED Remote	Bremsen	Brakes	TRP Slate Evo, hydraulic disc brake, TR203-45 CL
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Lenker	Handlebar	Sport-SL CCS
Rahmenhöhe	Framesize	S/M/L	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Dämpfer	Shock	SR SUNTOUR Edge Plus R 120 mm	Sattel	Saddle	Prologo Proxim 400 wide
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+	Felgen	Rims	RODI Tryp 30, tubeless ready
			Bereifung	Tires	SCHWALBE Smart Sam K-Guard 57-622
			Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM-SL 1

UD carbon, light grey
524900840740

SONIC / MOUNTAIN

725 Wh

1
PROSPEKT
8-SEITER



ONLINE ORDER

SHIMANO

CARBON



160 mm



160 mm

Motor	Drive Unit	SHIMANO Steps EP600 25/85 Nm	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladegerät	Charger	4,5 A charger	Lenker	Handlebar	BULLS riserbar
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Display	Display	SHIMANO SC-EN500	Sattelstütze	Seatpost	LIMOTEC Alpha 1L 34,9 mm + SL-MT500-IL, 170 mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, 1.8 Steerer ready, thru axle	Sattel	Saddle	Prologo Proxim 400
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RODI TRYP30 evo tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme 1.8 Boost 160 mm	Bereifung	Tires	SCHWALBE Magic Mary Performance 62-622
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Gänge	Gear	derailleur gear 12-speed			
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV			
Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T			

[illegible]

VUCA

[illegible]

VUCA EVO AM 1

blackberry red-matt, carbon matt
524909770741

720 Wh / 960 Wh



VUCA / MOUNTAIN

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



Modell 2024 getestet
world of mtb
Ausgabe 12/2023



ONLINE ORDER



monza grey-matt, carbon
black matt
524909780741



Motor	Drive Unit	FIT Pinion E-Drive 12	Bremsen	Brakes	SHIMANO BR-M6120 hydraulic disc brake (Center Lock 203/203 mm)
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	BULLS Enduro carbon
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Vorbau	Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	LIMOTEC Alpha / S 100 mm, M/L 125 mm, XL 150 mm + SL-MT500-IL für I-Spec EV
Rahmen	Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 150 mm	Bereifung	Tires	MAXXIS Minion DHF / DHR2 EXO TR 66-622 29 x 2,6
Dämpfer	Shock	SR SUNTOUR EDGE	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	E-Trigger			

VUCA EVO AM 2


dark chrome silver, carbon black matt
525907850741

793 Wh / 1.058 Wh



NEW!

VUCA / MOUNTAIN



Model 2024 checked



Model 2024 checked



ONLINE ORDER



Motor	Drive Unit	FIT Pinion MGU E1.12	Bremsen	Brakes	SHIMANO Deore XT BR-M8120
Ladegerät	Charger	FIT Ladegerät 3A, 48V	Lenker	Handlebar	hydraulic disc brake (220 / 203 mm)
Ladedauer	Charging time	793 Wh: appx. 6,2 hrs. 1.058 Wh: appx. 7,7 hrs.	Vorbau	Stem	BULLS Enduro carbon
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	BULLS MTB Vorbau CCS Slot Mount ready
Rahmen	Frame	Monocoque Carbon front triangle, 4-Link swingarm, GPS Ready, integrated rear light, thru axle	Sattel	Saddle	RUMBLE Escalator / S 125 mm, M/L
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	150 mm, XL 170 mm + SL-MT500-IL für I-Spec EV
Gabel	Fork	FOX Float 38 Factory 3-pos 150 mm	Bereifung	Tires	ERGON SM10 E-Mountain
Dämpfer	Shock	FOX Float X Factory 2-pos	Scheinwerfer	Front light	RYDE Disc 30, tubeless ready
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Rücklicht	Rear light	MAXXIS Minion DHF / DHR2 EXO TR
Schalthebel	Shifter	Pinion TE1			66-622 29 x 2,6
Kurbelgarnitur	Crankset	Pinion P8512			MonkeyLink Connect
Kassette	Cassette	GATES @ CDX, 32T			MonkeyLink Twinlight

E-STREAM

[illegible]

E-STREAM EVO 1

black matt, light grey
846-29441

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



150 mm

Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO Deore XT BR-M8120
Ladegerät	Charger	FIT Ladegerät 4A	Lenker	Handlebar	hydraulic disc brake (220 / 203 mm)
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	Sport-SL CCS
Display	Display	FIT LCD Remote	Sattelstütze	Seatpost	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8	Sattel	Saddle	RUMBLE Escalator / S 125 mm, M/L
Rahmenhöhe	Framesize	Steerer ready, internal cable routing, thru axle	Felgen	Rims	150 mm, XL 170 mm + SL-MT500-IL für I-Spec EV
Gabel	Fork	S/M/L/XL	Bereifung	Tires	BULLS Sportive Ergo
Gänge	Gear	FOX Float 38 Factory 3-pos 150 mm	Scheinwerfer	Front light	RYDE Disc 30, tubeless ready
Schalthebel	Shifter	derailleur 10-speed	Rücklicht	Rear light	MAXXIS Minion DHF / DHR2 EXO TR
Kurbelgarnitur	Crankset	SHIMANO Deore SL-M4100 with I-Spec EV			66-622 29 x 2,6
Kassette	Cassette	FSA 165 mm			MonkeyLink Connect (lighting not included)
		SHIMANO Deore 10s 11-46T			MonkeyLink Recharge (lighting not included)

E-STREAM EVO TR 1

black matt, long beach blue
846-30639

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	Sport-SL CCS
Display	Display	FIT Remote Display	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Rahmenhöhe	Framesize	XS/S/M/L	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	SR SUNTOUR Edge TR LOR8 120 mm	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M4100	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter				
Kurbelgarnitur	Crankset	FSA 165 mm			

E-STREAM EVA TR 1

pacific mint matt, steel blue black matt
846-31039

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



world of mtb
Ausgabe 12/2022
Model 2023 checked



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-MT420/410 hydraulic disc brake (Center Lock 180/180 mm)
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
		6061 aluminium, hydroforming,	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	XS/S/M/L	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	SR SUNTOUR Edge TR LOR8	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584 27,5 x 2,6
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear		Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M4100			

E-STREAM EVA TR 2

rouge red matt, light grey, black matt
846-31439

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-MT420/410 hydraulic disc brake (Center Lock 180/180 mm)
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	XS/S/M/L	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Gabel	Fork	BULLS LYTRO 35 Supreme SL Air LOR, 1.8 Steerer, Boost 120 mm	Sattel	Saddle	BULLS Sportive Ergo
Dämpfer	Shock	SR SUNTOUR Edge TR LOR8 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur 12-speed	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584 27,5 x 2,6
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

E-STREAM EVO AM 2

pistacio, black
846-31841

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-MT420/410 hydraulic disc brake (Center Lock 180/180 mm)
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	XS/S/M/L	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Gabel	Fork	BULLS LYTRO 35 Supreme SL Air LOR, 1.8 Steerer, Boost 150 mm	Sattel	Saddle	BULLS Sportive Ergo
Dämpfer	Shock	SR SUNTOUR Edge LOR8 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur 12-speed	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584 27,5 x 2,6
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

E-STREAM EVO AM 3

rouge red matt, light grey, black matt
846-32241

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



world of mtb
Ausgabe 12/2021
Model 2022 checked



ONLINE ORDER



emerald green matt,
black matt
846-32341



brose



150 mm



150 mm

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-MT420/410 hydraulic disc brake (Center Lock 180/180 mm)
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	XS/S/M/L	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Gabel	Fork	RockShOX 35 Gold RL, 1.8 Steerer 150 mm	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Dämpfer	Shock	RockShox Deluxe Select+ RT 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur 12-speed	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584 27,5 x 2,6
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

E-STREAM EVO AM 4

black matt
846-32641

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black matt, pro blue matt
846-32741



black matt, dark rainbow
846-32841



brose



150 mm



150 mm

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO SLX 12-speed 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-M8120, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Gabel	Fork	RockShox Lyrik Select RC, 1.8 Steerer 150 mm	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Dämpfer	Shock	RockShox Deluxe Select+ RT 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Gänge	Gear	SHIMANO Deore XT SL-M8100, rapidfire+, I-spec-EV	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

E-STREAM EVO AM 5

black matt, long beach blue
846-33141

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



brose



150 mm



150 mm

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore XT 12s 10-51T
Ladegerät	Charger	FIT Ladegerät 4A	Bremsen	Brakes	SHIMANO BR-M8120 hydraulic disc brake 220 mm / Center Lock 203 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	BULLS Enduro carbon
Display	Display	FIT LCD Remote	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC E4 electric Dropper Post with wireless Remote, S 125 mm, M, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	ERGON SM10 E-Mountain
Gabel	Fork	FOX Float 38 Factory-Series, 3 pos-adj 150 mm	Laufрад	Wheelset	SHIMANO WH-MT620, tubeless ready
Dämpfer	Shock	FOX Float X Performace-Series, 2-pos 150 mm	Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+	Radschützer	Fenders	FOX mini fender
Gänge	Gear	derailleur 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore XT SL-M8100, rapidfire+, 1-spec-EV	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

E-STREAM EVO AM 6

black matt, pro blue matt
846-33441

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



brose



150 mm



150 mm

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SRAM XG-1295 12-speed Eagle 10-52T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-M8120, hydraulic disc brake, 220 mm / Center Lock, 203 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	BULLS Enduro carbon
Display	Display	FIT Remote Display	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	RockShox Reverb AXS 34,9 / S, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	ERGON SM10 E-Mountain
Gabel	Fork	FOX Float 38 Factory-Series, 3 pos-adj 150 mm	Laufрад	Wheelset	MAVIC E-Deemax S
Dämpfer	Shock	FOX Float X Factory-Series, 3-pos 150 mm	Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Schaltwerk	Gearshift	SRAM XX1 Eagle AXS	Radschützer	Fenders	FOX mini fender
Gänge	Gear	derailleur 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SRAM EC AXS Rocker	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur	Crankset	FSA 165 mm			

[illegible]

COPPERHEAD

[illegible]

COPPERHEAD EVO

purple sky metallic

27,5 Zoll: 525800580636 | 29 Zoll: 525801580643

600 Wh / 800 Wh



NEW!

COPPERHEAD / MOUNTAIN



ONLINE ORDER



black metallic matt
525801540643



verde matt
525801600643



summit lake blue
525801590643



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Gänge Gear	derailleur 10-speed
Ladegerät Charger	Bosch Compact Ladegerät 2A	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake (Center Lock 180/180 mm)
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Lenker Handlebar	BULLS Sport-S riserbar
Rahmenhöhe Framesize	27,5 Zoll: Diamond XS/S, Trapeze XS/S, Wave XS/S 29 Zoll: Diamond M/L/XL/XXL, Trapeze M/L, Wave M/L	Vorbau Stem	BULLS MTB Vorbau CCS Slot Mount ready
Gabel Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Sattelstütze Seatpost	BULLS Aluminium
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Sattel Saddle	BULLS MTB-Sport
		Felgen Rims	BULLS DDM-30
		Bereifung Tires	27,5 Zoll: SCHWALBE Smart Sam K-Guard 65-584 27,5 x 2,60 29 Zoll: SCHWALBE Smart Sam K-Guard 65-622 29 x 2.60
		Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight

COPPERHEAD EVO AM 1

verde matt, verde

27,5 Zoll: 525800840638 | 29 Zoll: 525801060643

600 Wh / 800 Wh

NEW!

COPPERHEAD / MOUNTAIN

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



black metallic matt,
black metallic
525801020643



purple sky metallic,
light grey
525801050643



BOSCH



140 mm



140 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladegerät Charger	Bosch Compact Ladegerät 2A	Bremsen Brakes	SHIMANO BR-MT420 hydraulic disc brake (Center Lock 180/180 mm)
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Lenker Handlebar	BULLS Sport-S riserbar
Display Display	Bosch Mini Remote und System Controller	Vorbau Stem	BULLS MTB Vorbau CCS Slot Mount ready
Rahmen Frame	6066 aluminium, Monocoque Casting, mono-link swingarm, GPS Ready, integrated rear light, thru axle	Sattelstütze Seatpost	RUMBLE Escalator / XS 100 mm, S 125 mm, M/L 150 mm, XL 170 mm + SL-MT500-IL für I-Spec EV
Rahmenhöhe Framesize	27,5 Zoll: Diamond XS/S 29 Zoll: Diamond M/L/XL, Wave M/L	Sattel Saddle	BULLS MTB-Sport
Gabel Fork	BULLS LYTRO 34 Air Boost 2CR DS 15AH2-110 140 mm	Felgen Rims	BULLS DDM-30
Dämpfer Shock	SR SUNTOUR EDGE X-R	Bereifung Tires	27,5 Zoll: SCHWALBE NOBBY NIC Perf, Folding 62-584 27,5 x 2,40 29 Zoll: SCHWALBE NOBBY NIC Perf, Folding 62-622 29 x 2,40
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Steering Light
Gänge Gear	derailleur 10-speed	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter	SHIMANO Cues SL-U6000		

COPPERHEAD EVO AM 2

carbon DU matt, black
525801090840

800 Wh

NEW!

COPPERHEAD / MOUNTAIN



ONLINE ORDER



BOSCH



140 mm



150 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	Bosch Charger 4A	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Bremsen Brakes	SHIMANO BR-MT420 hydraulic disc brake (Center Lock 203/203 mm)
Display Display	Bosch Mini Remote und System Controller	Lenker Handlebar	RUMBLE Altimate
Rahmen Frame	Monocoque Carbon front triangle, 4-Link swingarm, GPS Ready, integrated rear light, thru axle	Vorbau Stem	RUMBLE Altimate
Rahmenhöhe Framesize	S/M/L/XL	Sattelstütze Seatpost	LIMOTEC Alpha 1, 30,9 / S 100 mm, M, L 125 mm, XL 150 mm + SL-MT500-L with clamp
Gabel Fork	BULLS LYTRO 34 Air Boost 2CR DS 15AH2-110 140 mm	Sattel Saddle	SELLE ROYAL SRX
Dämpfer Shock	SR SUNTOUR EDGE X-2CR	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	SCHWALBE NOBBY NIC Perf, Folding 62-622 29 x 2,40
Gänge Gear	derailleur 10-speed	Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight

COPPERHEAD EVO AM 2 ABS

COPPERHEAD / MOUNTAIN

polar silver, black matt
524801640541

500 Wh 625 Wh 750 Wh



Rear
27,5

Front
29



ONLINE ORDER



BOSCH



150 mm



150 mm



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-LG400-11 11-50T
Ladegerät Charger	2 A charger	Bremsen Brakes	TRP HD-M843A Trail Evo hydraulic disc brake with ABS (Center Lock 203/203 mm)
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker Handlebar	BULLS Sport-SL riserbar
Display Display	Bosch Purion 200	Vorbau Stem	MTBi, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze Seatpost	LIMOTEC Alpha 1 / S 100 mm, M, L 125 mm, XL 150 mm + SL-MT500-IL for I-spec EV
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	SELLE ROYAL Vivo Ergo
Gabel Fork	BULLS LYTRO 36 Supreme SL Boost 150 mm	Felgen Rims	BULLS DDM-30
Dämpfer Shock	SR SUNTOUR Edge LOR8	Bereifung Tires	SCHWALBE Nobby Nic Performance 65-622/65-584 29x2,6/27,5x2,6
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur 11-speed	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Cues SL-U6000		
Kurbelgarnitur Crankset	FSA 165 mm		

COPPERHEAD EVO AM 3

pebble grey, lyrik red
525801100840

800 Wh



NEW!

COPPERHEAD / MOUNTAIN



ONLINE ORDER



BOSCH



CARBON



150 mm



150 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	Bosch Charger 4A	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Bremsen Brakes	TRP HD-M807 hydraulic disc brake (Center Lock 203/180 mm)
Display Display	Bosch Mini Remote und System Controller	Lenker Handlebar	RUMBLE Altimeter
Rahmen Frame	Monocoque Carbon front triangle, 4-Link swingarm, GPS Ready, integrated rear light, thru axle	Vorbau Stem	RUMBLE Altimeter
Rahmenhöhe Framesize	S/M/L/XL	Sattelstütze Seatpost	RUMBLE Escalator /
Gabel Fork	RockShox 35 Gold RL, 1.8 Steerer 150 mm	Sattel Saddle	S 125 mm, M 150 mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Dämpfer Shock	SR SUNTOUR EDGE X-2CR	Felgen Rims	SELLE ROYAL SRX
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	BULLS DDM-30
Gänge Gear	derailleur 10-speed	Scheinwerfer Front light	SCHWALBE NOBBY NIC Perf, Folding 62-622 29 x 2,40
		Rücklicht Rear light	MonkeyLink Steering Light
			MonkeyLink Twinlight

COPPERHEAD EVO AM 4

dark chrome silver-matt, heavy meadow green, black matt
525801120840

800 Wh



NEW!

COPPERHEAD / MOUNTAIN



ONLINE ORDER



BOSCH



150 mm



150 mm

BULLS D.R.C.

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Gänge Gear	derailleur 11-speed
Ladegerät Charger	Bosch Charger 4A	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Kassette Cassette	SHIMANO CS-LG400-11 11-50T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	TRP HD-M807 hydraulic disc brake (RUMBLE 8-Loch 203/203 mm)
Rahmen Frame	Monocoque Carbon front triangle, 4-Link swingarm, GPS Ready, integrated rear light, thru axle	Lenker Handlebar	RUMBLE Altimate
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	RUMBLE Altimate
Gabel Fork	BULLS LYTRO 36 Supreme SL 1.8 Steerer, Boost EQ 2CR-PCS DS 15LH-110 150 mm	Sattelstütze Seatpost	RUMBLE Escalator / S 125 mm, M 150 mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Dämpfer Shock	SR SUNTOUR EDGE X-2CR	Sattel Saddle	SELLE ROYAL SRX
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Laufgrad Wheelset	RUMBLE Impeller Pro
		Bereifung Tires	SCHWALBE NOBBY NIC Perf, Folding 62-622 29 x 2,40
		Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight

COPPERHEAD EVO AM 5

dark chrome silver matt, heavy meadow green, black matt
525801170840

800 Wh



NEW!

COPPERHEAD / MOUNTAIN



ONLINE ORDER



BOSCH



150 mm



150 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Deore XT SL-M8100, rapidfire+
Ladegerät Charger	Bosch Charger 4A	Kassette Cassette	SHIMANO DEORE XT CS-M8100-12 10-45T
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Bremsen Brakes	TRP HD-M807 hydraulic disc brake (RUMBLE 8-Loch 203/203 mm)
Display Display	Bosch Mini Remote und System Controller	Lenker Handlebar	RUMBLE Altimate PRO Carbon
	Monocoque Carbon front triangle, 4-Link swingarm, GPS Ready, integrated rear light, thru axle	Vorbau Stem	RUMBLE Altimate
Rahmen Frame		Sattelstütze Seatpost	RUMBLE Escalator / S 125 mm, M 150 mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	SELLE ROYAL SRX
Gabel Fork	RockShox Lyrik Ultimate, 1.8 Steerer 150 mm	Laufрад Wheelset	RUMBLE Impeller Pro
Dämpfer Shock	RockShox Deluxe Select+	Bereifung Tires	SCHWALBE Magic Mary Performance black bronze 62-622 29 x 2,40
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8120 shadow+	Scheinwerfer Front light	MonkeyLink Steering Light
Gänge Gear	derailleur 12-speed	Rücklicht Rear light	MonkeyLink Twinlight

[illegible]

COPPERHEAD

XXL

[illegible]

COPPERHEAD EVO XXL

monza grey matt
525801680843

800 Wh



NEW!

COPPERHEAD XXL / MOUNTAIN

up to **150 kg**
permissible total weight



ONLINE ORDER



polar silver
525801730843



BOSCH



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	Bosch Charger 4A	Kurbelgarnitur Crankset	SAMOX EC-53
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm SHIMANO SM-RT30 CL / 180 mm
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Lenker Handlebar	RUMBLE Altimate
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Wave M/L/XL BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Vorbau Stem	RUMBLE Altimate
Gabel Fork		Sattelstütze Seatpost	BULLS aluminium 34,9 mm
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Sattel Saddle	ZECURE
Gänge Gear	derailleur 10-speed	Felgen Rims	BULLS DDM-30
		Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622 29 x 2.60
		Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight

[illegible]

AMINGA

[illegible]

AMINGA EVA TR 1

AMINGA / MOUNTAIN

sage
524801720541

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



BOSCH



120 mm



120 mm

Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-LG400-11 11-50T
Ladegerät Charger	2 A charger	Bremsen Brakes	SHIMANO BR-MT420/BL-MT4100 hydraulic disc brake (Center Lock 203/180 mm)
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.	Lenker Handlebar	BULLS Sport-SL riserbar
Display Display	Bosch Purion 200	Vorbau Stem	MTBi, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze Seatpost	LIMOTEC Alpha 1 / S 75 mm, M 100 mm, L 125 mm, XL 150 mm + SLMT500-IL for I-spec EV
Rahmenhöhe Framesize	S/M/L	Sattel Saddle	SELLE ROYAL Vivo Ergo
Gabel Fork	BULLS LYTRO 36 Supreme SL Boost 120 mm	Felgen Rims	BULLS DDM-30
Dämpfer Shock	SR SUNTOUR Edge LOR8	Bereifung Tires	SCHWALBE Wicked Will Performance 65-584 27,5 x 2,6
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur 11-speed	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Cues SL-U6000		
Kurbelgarnitur Crankset	FSA 165 mm		

[illegible]

LT

[illegible]

LT EVO PERFORMANCE 29

LT / MOUNTAIN

rally green
524802170544

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt
524802160544



BOSCH



100 mm

Motor	Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Bremsen	Brakes	TEKTRO HD-M275, hydraulic disc brake, TEKTRÖ TR180 6-bolt TEKTRÖ TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	BULLS aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	M/L/XL/XXL	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Bereifung	Tires	STYX Ace of Pace 57-622
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020 derailleur 8-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Altus SL-M315-8R	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M315-8R			
Kurbelgarnitur	Crankset	FSA 165 mm			
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			

LT CX 29

grey matt
834-65344

545 Wh / 725 Wh

LT / MOUNTAIN



ONLINE ORDER



chrome red
834-65444



BOSCH



100 mm

Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm 6-Bolt 180 mm 6-Bolt
Ladedauer Charging time	545 Wh: appx. 7,7 hrs. 725 Wh: appx. 11,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	M/L/XL/XXL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020 deraillieur 8-speed	Bereifung Tires	STYX Ace of Pace 57-622
Gänge Gear	SHIMANO Altus SL-M315 rapidfire plus	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

LT EVO CX

dark chrome silver matt
525801320643

600 Wh / 800 Wh



NEW!

LT / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



BOSCH



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO SL-M3100
Ladegerät Charger	Bosch Compact Ladegerät 2A	Kassette Cassette	SHIMANO Deore CS-M4100-10 11-46T
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Bremsen Brakes	SHIMANO BR-MT200 (180 CL/180 CL)
Display Display	Bosch Purion 200	Lenker Handlebar	BULLS Sport-S riserbar
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Vorbau Stem	BULLS MTB Vorbau CCS Slot Mount ready
Rahmenhöhe Framesize	M/L/XL/XXL	Sattelstütze Seatpost	Aluminium, 31.6 mm
Gabel Fork	SR SUNTOUR XCR32 120 mm	Sattel Saddle	BULLS MTB-Sport
Schaltwerk Gearshift	SHIMANO RD-M3100-SGS	Felgen Rims	BULLS DDM-22
Gänge Gear	derailleur 9-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622 29x2.6"
		Scheinwerfer Front light	MonkeyLink 2.0 Connect
		Rücklicht Rear light	MonkeyLink Twinlight

LT EVO CX AM

dark chrome silver matt
525801000640

600 Wh / 800 Wh

NEW!

LT / MOUNTAIN



ONLINE ORDER



BOSCH



140 mm



140 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG200-9 11-36T
Ladegerät Charger	Bosch Compact Ladegerät 2A	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Lenker Handlebar	BULLS Sport-S riserbar
Display Display	Bosch Purion 200	Vorbau Stem	BULLS MTB Vorbau CCS Slot Mount ready
Rahmen Frame	6061 aluminium, Monocoque Casting, mono-link swingarm, GPS Ready, integrated rear light, thru axle	Sattelstütze Seatpost	RUMBLE Escalator, 34,9 mm / XS 100 mm, S 125 mm, M 150mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	BULLS MTB-Sport
Gabel Fork	RockShox 35 Gold RL, 1.8 Steerer 140 mm	Felgen Rims	BULLS DDM-30
Dämpfer Shock	SR SUNTOUR EDGE X-R 170 mm x 35 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622 29 x 2.6
Schaltwerk Gearshift	SHIMANO Alivio RD-M3100 Shadow derailleur 9-speed	Scheinwerfer Front light	MonkeyLink 2.0 Connect
Gänge Gear	SHIMANO Alivio SL-M3100	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter			

VUCA

[illegible]

VUCA EVO X 1

metallic-aventurine
524909530741

720 Wh / 960 Wh

VUCA / SUV



ONLINE ORDER



metallic aventurine matt
524909570741



Motor	Drive Unit	FIT Pinion MGU E1.12	Lenker	Handlebar	ZECURE Sport-SL
Ladegerät	Charger	3 A FIT charger	Vorbau	Stem	ZECURE SUVi, CCS Slot Mount ready
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Sattelstütze	Seatpost	Dropper Post (S, 40 mm, M, L 80 mm, XL 100 mm) + SL-MT500-IL S40
Display	Display	FIT Compact Display	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Felgen	Rims	RYDE Disc 30, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Bereifung	Tires	LYTRO 36 Supreme SL 120 1.8 Boost EQ
Gabel	Fork	2CR-PCS DS 15LH-110 29 120 mm	Radschützer	Fenders	SUPERO All Ground Anti-Puncture 62-622
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Scheinwerfer	Front light	aluminium mudguard
Schalthebel	Shifter	E-Trigger	Rücklicht	Rear light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Bremsen	Brakes	SHIMANO BR-M6120, hydraulic disc brake, SHIMANO SM-RT64 203 mm CL SHIMANO RT-EM600 180 mm CL	Gepäckträger	Carrier	FUXON R-Glow S EB, with COB technology
					MonkeyLoad Iconic Rack 29

VUCA EVO FSX 1

metallic aventurine matt, black
524909860741

720 Wh / 960 Wh



VUCA / SUV



Model 2024 checked



ONLINE ORDER



metallic off white, black matt
524909890741



Motor	Drive Unit	FIT Pinion E-Drive 12	Lenker	Handlebar	ZECURE Sport-SL
Ladegerät	Charger	3 A FIT charger	Vorbau	Stem	BULLS SUVi, CCS Slot Mount ready
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Display	Display	FIT Compact Display	Sattel	Saddle	SELLE ROYAL in BULLS Design
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Felgen	Rims	RYDE Disc 30, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-622
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 120 mm	Radschützer	Fenders	aluminium mudguard
Dämpfer	Shock	SR SUNTOUR Edge LOR8	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Schalthebel	Shifter	E-Trigger	Gepäckträger	Carrier	MonkeyLoad Iconic Rack 29 Systemgepäckträger
Bremsen	Brakes	SHIMANO BR-M6120, hydraulic disc brake, SHIMANO SM-RT64 203 mm CL SHIMANO RT-EM600 180 mm CL			

ICONIC

[illegible]

ICONIC EVO 1

dark chrom silver matt
525801890640

600 Wh / 800 Wh



NEW!

ICONIC / SUV



ONLINE ORDER



pebble grey matt
525801850640



dark chrom silver matt
525801920640



BOSCH



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U4000
Ladegerät Charger	Bosch Compact Ladegerät 2A	Kassette Cassette	SHIMANO Cues CS-LG300-9, 11-41T
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Display Display	Bosch Intuvia 100 with mini remote and system controller	Lenker Handlebar	ZECURE Cockpit 10
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Sattelstütze Seatpost	BULLS aluminium 34,9 mm
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL SR SUNTOUR XCR32 ATB LO DS Coil	Sattel Saddle	BULLS Iconic SUV
Gabel Fork	120 mm	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Cues RD-U4000	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622 29 x 2,25
Gänge Gear	derailleur 9-speed	Radschützer Fenders	MonkeyLink Cross Blades L 29
		Scheinwerfer Front light	FUXON FL-20EB 70Lux
		Rücklicht Rear light	MonkeyLink Twinlight
		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

ICONIC EVO BELT

metallic aventurine matt
525802080640

600 Wh / 800 Wh

NEW!

ICONIC | SUV



ONLINE ORDER



metallic aventurine matt
525802120640



metallic aventurine matt
525802160640



BOSCH



120 mm

BELT DRIVE

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT30 CL / 180 mm SHIMANO SM-RT30 CL / 180 mm
Ladegerät Charger	Bosch Ladegerät 4A	Lenker Handlebar	ZECURE Cockpit 10
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Sattelstütze Seatpost	RUMBLE Escalator, 34,9 mm / S/M/L 150 mm, XL/XXL 170 mm + SL-MT500-L (mit Klemme)
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattel Saddle	BULLS Iconic SUV
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Felgen Rims	BULLS DDM-30
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL	Bereifung Tires	SCHWALBE Smart Sam K-Guard 60-622 29 x 2,35
Gabel Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Radschützer Fenders	Aluminium 70 mm
Gänge Gear	Hub Gear 5-speed	Scheinwerfer Front light	FUXON FL-20EB 70 Lux
Schalthebel Shifter	SHIMANO Nexus SL-C7000 Revoshift	Rücklicht Rear light	MonkeyLink Twinlight
Kurbelgarnitur Crankset	SAMOX EC-53	Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

ICONIC EVO 2

verde matt
525801960640

600 Wh / 800 Wh

NEW!

ICONIC | SUV



ONLINE ORDER



quantum silver matt
525802010640



verde matt
525802040640



BOSCH



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladegerät Charger	Bosch Ladegerät 4A	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Lenker Handlebar	ZECURE Cockpit 10
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze Seatpost	RUMBLE Escalator, 34,9 mm / S/M/L 150mm, XL/XXL 170 mm + SL-MT500-L (mit Klemme)
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, integrated rear light, thru axle	Sattel Saddle	BULLS Iconic SUV
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL	Felgen Rims	BULLS DDM-30
Gabel Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 60-622 29 x 2,35
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Radschützer Fenders	Aluminium 70 mm
Gänge Gear	derailleur 10-speed	Scheinwerfer Front light	FUXON FL-20EB 70 Lux
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	MonkeyLink Twinlight
		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

ICONIC EVO FS 1

ruby red metallic matt
525802450840

800 Wh



NEW!

ICONIC | SUV

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



liquid silver matt
525802400840



BOSCH



120 mm



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladegerät Charger	Bosch Ladegerät 4A	Bremsen Brakes	TEKTRO HD-M530 hydraulic disc brake
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Lenker Handlebar	TEKTRO TR-45 203mm TEKTRO TR-45 / 180mm
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze Seatpost	ZECURE Cockpit 10
Rahmen Frame	6061 aluminium, Monocoque Casting, mono-link swingarm, GPS Ready, integrated rear light, thru axle	Sattel Saddle	RUMBLE Escalator, 34,9 mm / S 125 mm, M 150 mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Rahmenhöhe Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Felgen Rims	BULLS DDM-30
Gabel Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 60-622 29 x 2,35
Dämpfer Shock	SR SUNTOUR EDGE X-2CR 170mm x 30 mm 120 mm	Radschützer Fenders	Aluminium 70 mm
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Steering Light
Gänge Gear	derailleur 10-speed	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter	SHIMANO Cues SL-U6000	Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

ICONIC EVO FS 2

black matt
525802480840

800 Wh

NEW!

ICONIC | SUV



ONLINE ORDER



black matt
525802500840



BOSCH



130 mm



120 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	Bosch Ladegerät 4A	Kassette Cassette	SHIMANO CS-LG400-11 11-50T
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Bremsen Brakes	TEKTRO HD-M530 hydraulic disc brake TEKTRO TR-45 203mm TEKTRO TR-45 / 180mm
Display Display	Bosch KIOX 500, Mini Remote und System Controller	Lenker Handlebar	ZECURE Cockpit 10 RUMBLE Escalator, 34,9 mm /
Rahmen Frame	6061 aluminium, Monocoque Casting, mono-link swingarm, GPS Ready, integrated rear light, thru axle	Sattelstütze Seatpost	S 125 mm, M 150 mm, L/XL 170 mm + SL-MT500-L (mit Klemme)
Rahmenhöhe Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Sattel Saddle	BULLS Iconic SUV
Gabel Fork	RockShox 35 Gold RL, 1.8 tapered 130 mm	Felgen Rims	BULLS DDM-30
Dämpfer Shock	SR SUNTOUR EDGE X-2CR 170 mm x 30 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 60-622 29 x 2,35
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8130 shadow+	Radschützer Fenders	Aluminium 70 mm
Gänge Gear	derailleur 11-speed	Scheinwerfer Front light	MonkeyLink Steering Light
		Rücklicht Rear light	MonkeyLink Twinlight
		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

[illegible]

STURMVOGEL

[illegible]

STURMVOGEL EVO

metallic off white
525803800643

600 Wh / 800 Wh

NEW!

STURMVOGEL | URBAN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



dark chrome silver
525803850640



metallic off white
525803880640



BOSCH

BELT DRIVE

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT30 CL / 180 mm SHIMANO SM-RT30 CL / 180 mm
Ladegerät Charger	Bosch Ladegerät 4A	Lenker Handlebar	ZECURE Cockpit 10
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Sattelstütze Seatpost	BULLS aluminium 34,9 mm
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattel Saddle	SELLE ROYAL Essenza
Rahmen Frame	6061 aluminium, Monocoque Casting, hydroforming seattube, GPS Ready, integrated rear light	Felgen Rims	BULLS SLD-30
Rahmenhöhe Framesize	Diamond M/L/XL, Trapeze S/M/L, Wave S/M/L	Bereifung Tires	SCHWALBE G-One Allround 57-622 29 x 2,25
Gabel Fork	SturmVogel rigid alloy	Radschützer Fenders	Aluminium 65 mm
Gänge Gear	Hub Gear 5-speed	Scheinwerfer Front light	MonkeyLink Steering Light
Schalthebel Shifter	SHIMANO Nexus SL-C7000 Revoshift	Rücklicht Rear light	MonkeyLink Twinlight
		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

STURMVOGEL EVO 5F BELT

STURMVOGEL | URBAN

black matt
846-18344

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



air green matt
846-18444



white
846-18241



Model 2023 checked



Model 2023 checked



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 160 mm / Center Lock
Ladegerät	Charger	FIT Ladegerät 4A	Lenker	Handlebar	Urban Comfort
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Display	Display	FIT Display Compact	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	Urban Comfort with suede leather
Rahmenhöhe	Framesize	Diamond M/L/XL, Wave S/M/L	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	Sturmvoegel rigid aluminium	Bereifung	Tires	SUPERO Intercorsa AntiPuncture, Reflex 62-584
Schaltwerk	Gearshift	SHIMANO Nexus	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	hub gear 5-speed	Scheinwerfer	Front light	SUPERNOVA V521s, 100 Lux LED
Schalthebel	Shifter	SHIMANO Nexus SL-C7000 Revoshift	Rücklicht	Rear light	SUPERNOVA E3, LED
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier

U R B A N

[illegible]

URBAN EVO 1

rally green matt
524908770547

URBAN

520 Wh



ONLINE ORDER



rally green matt
524908810545



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRON 160 mm 6-bolt TEKTRON 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Urban Comfort
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS Ahead stem
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	Diamant M/L/XL, Trapez S/M/L	Felgen	Rims	BULLS DDM-22
Gabel	Fork	Grinder aluminium	Bereifung	Tires	VEE TIRE CO. Speedster 44-622
Schaltwerk	Gearshift	SHIMANO Acera RD-M3100	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur 9-speed	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Schalthebel	Shifter	SHIMANO Alivio SL-M3100	Rücklicht	Rear light	FUXON R-60, LED
Kassette	Cassette	SHIMANO CS-HG200, 11-36T	Gepäckträger	Carrier	BULLS Urban / Gravel

URBAN EVO 2

nano grey matt
524908850547

URBAN

520 Wh



ONLINE ORDER



nano grey matt
524908890545



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRON 160 mm 6-bolt TEKTRON 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Urban Comfort integrated stem handlebars
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Sattelstütze	Seatpost	30,9 mm aluminium
Display	Display	FIT Master Node LED	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, internal cable routing	Felgen	Rims	BULLS DDM-22
Rahmenhöhe	Framesize	Diamant M/L/XL, Trapez S/M/L	Bereifung	Tires	SCHWALBE G-ONE OVERLAND Evo, Super Ground, TLE 45-622
Gabel	Fork	Grinder aluminium	Radschützer	Fenders	aluminium mudguard
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Gänge	Gear	derailleur 10-speed	Rücklicht	Rear light	FUXON R-60, LED
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Gepäckträger	Carrier	carrier BULLS Urban/Gravel carrier
Kassette	Cassette	SHIMANO CS-M4100 11-46T			

URBAN EVO 3

french grey matt
524908930547

URBAN

520 Wh



ONLINE ORDER



french grey matt
524908970545



Model 2024 checked



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	TEKTRO 160 mm 6-bolt
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Sattelstütze	Seatpost	Urban Comfort integrated stem
Display	Display	FIT Master Node LED	Sattel	Saddle	handlebars
Rahmen	Frame	6061 aluminium, internal cable routing	Felgen	Rims	30,9 mm aluminium
Rahmenhöhe	Framesize	Diamant M/L/XL, Trapez S/M/L	Bereifung	Tires	BULLS Sportive Ergo
Gabel	Fork	Grinder aluminium	Radschützer	Fenders	BULLS DDM-22
Schaltwerk	Gearshift	SHIMANO RD-M5100	Scheinwerfer	Front light	SCHWALBE G-ONE OVERLAND Evo,
Gänge	Gear	derailleur 11-speed	Rücklicht	Rear light	Super Ground, TLE 45-622
Schalthebel	Shifter	SHIMANO Deore SL-M5100	Gepäckträger	Carrier	aluminium mudguard
Kassette	Cassette	SHIMANO CS-M5100 11-51T			FUXON FF-100 EB, 100 Lux LED with
					sensor and daylight
					FUXON R-Glow S EB, with COB technology
					carrier BULLS Urban/Gravel carrier

URBAN EVO AMSTERDAM

URBAN

black matt
524908990551

520 Wh



ONLINE ORDER



black matt
524909000545



Model 2024 checked



Model 2024 checked



Model 2024 checked



BAFANG

BELT DRIVE

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm
Ladegerät	Charger	3 A FIT charger
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.
Display	Display	FIT Master Node LED
Rahmen	Frame	6061 aluminium, internal cable routing
Rahmenhöhe	Framesize	Diamant L/XL, Trapez S/M
Gabel	Fork	Grinder aluminium
Gänge	Gear	singlespeed
Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKRO TR180 6-bolt TEKRO TR 180 mm 6-bolt

Lenker	Handlebar	Urban Comfort integrated stem handlebars
Sattelstütze	Seatpost	BULLS Light Post
Sattel	Saddle	BULLS Sportive Ergo
Felgen	Rims	RYDE Dutch 19
Bereifung	Tires	Vee Speedster 50-622
Radschützer	Fenders	aluminium mudguard
Scheinwerfer	Front light	FUXON FL-18 EB
Rücklicht	Rear light	in Sattelsütze integriert

GRINDER EVO

french grey
524908730547

520 Wh

GRAVEL



ONLINE ORDER



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	SHIMANO BR RX400, hydraulic disc brake, SHIMANO SM-RT30 160 mm CL, SHIMANO SM-RT56 160 mm 6L
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Gravel SL HB-L102
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Gravel
Rahmenhöhe	Framesize	M/L/XL	Felgen	Rims	RYDE Dutch 19
Gabel	Fork	Machete carbon	Bereifung	Tires	SCHWALBE G-One R Evo, Super Race, V-Guard, TLE 45-622
Schaltwerk	Gearshift	SHIMANO GRX RD-RX812	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 11-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO GRX ST-RX600			
Kassette	Cassette	SHIMANO Deore CS-M5100, 11-42T			

ESPRESSO GRINDER EVO

burgundy red-matt
524908690547

GRAVEL

520 Wh



ONLINE ORDER



BAFANG

BELT DRIVE

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm
Ladegerät	Charger	3 A FIT charger
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.
Display	Display	FIT Master Node LED
Rahmen	Frame	6061 aluminium, internal cable routing
Rahmenhöhe	Framesize	M/L/XL
Gabel	Fork	Grinder aluminium
Gänge	Gear	singlespeed 1-speed
Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt

Lenker	Handlebar	BULLS riserbar
Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Sattelstütze	Seatpost	30,9 mm aluminium
Sattel	Saddle	BULLS Sportive Ergo
Felgen	Rims	RYDE Dutch 19
Bereifung	Tires	SCHWALBE G-ONE OVERLAND Evo, Super Ground, TLE 45-622
Scheinwerfer	Front light	MonkeyLink Recharge (lighting not included)
Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

TRAIL GRINDER EVO SX

kwiqsand
525803790447

400 Wh



NEW!

GRAVEL



ONLINE ORDER



BOSCH



40 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Bremsen Brakes	SHIMANO GRX BR-RX820 hydraulic disc brake SHIMANO RT-CL800 180 mm SHIMANO RT-CL800 160 mm
Ladegerät Charger	Bosch Compact Ladegerät 2A	Lenker Handlebar	BULLS Gravel SL
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Vorbau Stem	BULLS RRi / GRi Vorbau CCS Slot Mount ready
Display Display	Bosch Mini Remote und System Controller	Sattelstütze Seatpost	RUMBLE Escalator PRO, 31,6 mm / S/M 100 mm, L/XL 125 mm ohne Remote
Rahmen Frame	6061 aluminium, Monocoque Casting, integrated rear light	Sattel Saddle	SELLE ROYAL SRX Open
Rahmenhöhe Framesize	M/L/XL	Felgen Rims	RYDE Road 21 Disc
Gabel Fork	RockShox Rudy Ultimate 40 mm	Bereifung Tires	SCHWALBE G-ONE ULTRABITE Performance, RaceGuard TLE 50-622
Schaltwerk Gearshift	SHIMANO GRX RD-RX822 derailleur 12-speed	Scheinwerfer Front light	MonkeyLink Connect
Gänge Gear	SHIMANO GRX ST-RX820	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter	SHIMANO DEORE XT CS-M8100-12 10-45T		
Kassette Cassette			

DAILY GRINDER EVO SX

verde matt
525803780447

400 Wh



NEW!

GRAVEL

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



BOSCH



40 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Bremsen Brakes	SHIMANO GRX BR-RX400 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 160 mm
Ladegerät Charger	Bosch Compact Ladegerät 2A	Lenker Handlebar	BULLS Gravel SL
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Vorbau Stem	BULLS RRI / GRi Vorbau CCS Slot Mount ready
Display Display	Bosch Mini Remote und System Controller	Sattelstütze Seatpost	Aluminium, 31.6 mm
Rahmen Frame	6061 aluminium, Monocoque Casting, integrated rear light	Sattel Saddle	BULLS Sportive Ergo
Rahmenhöhe Framesize	M/L/XL	Felgen Rims	RYDE Road 21 Disc
Gabel Fork	SR SUNTOUR GVX32-E LOR 40 mm	Bereifung Tires	SCHWALBE G-ONE ALLROUND Performance, RaceGuard, TLE 45-622
Schaltwerk Gearshift	SHIMANO GRX RD-RX812	Radschützer Fenders	Aluminium 55 mm
Gänge Gear	derailleur 11-speed	Scheinwerfer Front light	MonkeyLink Connect
Schalthebel Shifter	SHIMANO GRX ST-RX600	Rücklicht Rear light	MonkeyLink Twinlight
Kassette Cassette	SHIMANO Deore CS-M5100-11 11-42T	Gepäckträger Carrier	MonkeyLoad Grinder Rack

GRINDER EVO SX

verde matt
525803760447

400 Wh



NEW!

GRAVEL

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Kassette Cassette	SHIMANO Deore CS-M5100-11 11-42T
Ladegerät Charger	Bosch Compact Ladegerät 2A	Bremsen Brakes	SHIMANO GRX BR-RX400 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 160 mm
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS Gravel SL
Display Display	Bosch Mini Remote und System Controller	Vorbau Stem	BULLS RRI / GRi Vorbau CCS Slot Mount ready
Rahmen Frame	6061 aluminium, Monocoque Casting, integrated rear light	Sattelstütze Seatpost	Aluminium, 31,6 mm
Rahmenhöhe Framesize	M/L/XL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	Machete carbon, internal cable routing, 12 mm thru axle	Felgen Rims	RYDE Road 21 Disc
Schaltwerk Gearshift	SHIMANO GRX RD-RX812	Bereifung Tires	SCHWALBE G-One Bite Perf. RaceGuard TLE 45-622
Gänge Gear	derailleur 11-speed	Scheinwerfer Front light	MonkeyLink Connect
Schalthebel Shifter	SHIMANO GRX ST-RX600	Rücklicht Rear light	MonkeyLink Twinlight

URBAN GRINDER EVO SX

black matt
525803740447

400 Wh



NEW!

GRAVEL

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



black matt
525803750445



BOSCH



40 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Kassette Cassette	SHIMANO CUES CS-LG300-10 11-48T
Ladegerät Charger	Bosch Compact Ladegerät 2A	Bremsen Brakes	SHIMANO GRX BR-RX400 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 160 mm
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS Sport S flatbar
Display Display	Bosch Mini Remote und System Controller	Vorbau Stem	BULLS RRi / GRi Vorbau CCS Slot Mount ready
Rahmen Frame	6061 aluminium, Monocoque Casting, integrated rear light	Sattelstütze Seatpost	Aluminium, 31,6 mm
Rahmenhöhe Framesize	Diamond M/L/XL, Trapeze S/M/L	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR GVX32-E LOR 40 mm	Felgen Rims	RYDE Road 21 Disc
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	SCHWALBE G-ONE OVERLAND 365, RaceGuard, TLE 50-622
Gänge Gear	derailleur 10-speed	Scheinwerfer Front light	FUXON FL18EB, 30 Lux
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	MonkeyLink Twinlight

CROSS

[illegible]

CROSS LITE EVO 1

artic silver, U114 grey
525803040645

600 Wh / 800 Wh

NEW!

CROSS | TREKKING



ONLINE ORDER



ruby red metallic,
black matt
525803090645



artic silver, U114 grey
525803120645



BOSCH



100 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Ladegerät Charger	Bosch Ladegerät 4A	Lenker Handlebar	BULLS Sport-SL
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Vorbau Stem	ZECURE SUVi2 clean Cockpit Vorbau
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze Seatpost	BULLS aluminium 31,6 mm
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, thru axle	Sattel Saddle	ZECURE 2.0
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen Rims	BULLS DDM-30
Gabel Fork	SR SUNTOUR Mobie-25 Air LOR 100 mm	Bereifung Tires	SCHWALBE Marathon Mondial Performance 57-622 29 x 2,25
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow derailleur 10-speed	Radschützer Fenders	Aluminium 65 mm
Gänge Gear	SHIMANO Deore SL-M4100	Scheinwerfer Front light	FUXON FL-20EB 70Lux
Schalthebel Shifter	SHIMANO Deore CS-M4100-10 11-46T	Rücklicht Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
Kassette Cassette		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

CROSS LITE EVO 2 ABS

dark chrome silver matt, black matt
525803400845

800 Wh

NEW!

CROSS | TREKKING

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER

INNOVATION MODEL



dark chrome silver matt,
black matt
525803440845



dark chrome silver matt,
black matt
525803480845



BOSCH



100 mm



Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Kassette Cassette	TRP CS-M9050-12 EVO 10-52T
Ladegerät Charger	Bosch Ladegerät 4A	Bremsen Brakes	TEKTRO Volans ABS HD-T533 (203/203 mm)
Ladedauer Charging time	800 Wh: appx. 6,9 hrs.	Lenker Handlebar	ZECURE Cockpit 10
Display Display	Bosch KIOX 500, Mini Remote und System Controller	Sattelstütze Seatpost	BULLS aluminium 31,6 mm
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready, thru axle	Sattel Saddle	ZECURE 2.0
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen Rims	BULLS DDM-30
Gabel Fork	SR SUNTOUR Mobie-34-D Air ABS 100 mm	Bereifung Tires	SCHWALBE Marathon Mondial Performance 57-622 29 x 2,25
Schaltwerk Gearshift	TRP RD-M8000E	Radschützer Fenders	Aluminium 65 mm
Gänge Gear	derailleur 12-speed	Scheinwerfer Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Schalthebel Shifter	TRP RD-M8000E	Rücklicht Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

CROSS LITE EVO CARBON

UD carbon matt
525803640650

600 Wh / 800 Wh

NEW!

CROSS / TREKKING



ONLINE ORDER



UD carbon matt
525803680645



UD carbon matt
525803720645



BOSCH



100 mm

Motor Drive Unit	Bosch Performance Line CX GEN5 (Smart System) 25/85 Nm	Bremsen Brakes	SHIMANO CUES BR-U8000 hydraulic disc brake SHIMANO SM-RT64 CL 180 mm SHIMANO SM-RT64 / CL / 180 mm
Ladegerät Charger	Bosch Ladegerät 4A	Lenker Handlebar	ZECURE Cockpit 10
Ladedauer Charging time	600 Wh: appx. 4,9 hrs. 800 Wh: appx. 6,9 hrs.	Sattelstütze Seatpost	RUMBLE Pylon 31,6 mm
Display Display	Bosch KIOX 500, Mini Remote und System Controller	Sattel Saddle	SELLE ROYAL Essenza
Rahmen Frame	Monocoque Carbon frame, GPS Ready, Thru axle	Laufgrad Wheelset	RYDE XC-21S tubeless ready
Rahmenhöhe Framesize	Diamond M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen Rims	RYDE XC-21S Tubeless ready
Gabel Fork	SR SUNTOUR NCX-32-E Air LO 100 mm	Bereifung Tires	SCHWALBE Marathon Almotion Evo V-Guard 55-622 29 x 2,15
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow derailleur 10-speed	Radschützer Fenders	Aluminium 65 mm
Gänge Gear	SHIMANO Deore SL-M4100	Scheinwerfer Front light	FUXON FL-20EB 70Lux
Schalthebel Shifter	SHIMANO Deore CS-M4100-10 11-46T	Rücklicht Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
Kassette Cassette		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

CROSS LITE EVO SX 1

alpine grey
525803160445

400 Wh

NEW!

CROSS | TREKKING



ONLINE ORDER



peach matt
525803210445



alpine grey
525803240445



mint matt
525803220445



BOSCH



100 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Ladegerät Charger	Bosch Compact Ladegerät 2A	Lenker Handlebar	RUMBLE Altimate 35 Riser
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Vorbau Stem	RUMBLE Altimate
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze Seatpost	BULLS aluminium 31,6 mm
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready	Sattel Saddle	SELLE ROYAL Essenza
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen Rims	RYDE XC-21S Tubeless ready
Gabel Fork	SR SUNTOUR NCX-32-E Air LO 100 mm	Bereifung Tires	SCHWALBE G-ONE OVERLAND 365, RaceGuard, TLE 50-622 28 x 2,00
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow derailleur 10-speed	Radschützer Fenders	Aluminium 58 mm
Gänge Gear	SHIMANO Deore SL-M4100	Scheinwerfer Front light	FUXON FL-18EB 30 Lux LED
Schalthebel Shifter	SHIMANO Deore CS-M4100-10 11-46T	Rücklicht Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
Kassette Cassette		Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

CROSS LITE EVO SX 2

monza grey matt
525802920445

400 Wh

NEW!

CROSS | TREKKING



ONLINE ORDER



monza grey matt
525802960445



monza grey matt
525803000445



BOSCH



100 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT54 CL 180 mm SHIMANO SM-RT54 CL / 180 mm
Ladegerät Charger	Bosch Compact Ladegerät 2A	Lenker Handlebar	RUMBLE Altimate 35 Riser
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Vorbau Stem	RUMBLE Altimate
Display Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze Seatpost	RUMBLE Pylon 31,6mm
Rahmen Frame	6061 aluminium, Monocoque Casting, GPS Ready	Sattel Saddle	SELLE ROYAL Essenza
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen Rims	RYDE XC-21S Tubeless ready
Gabel Fork	SR SUNTOUR NCX-32-E Air LO 100 mm	Bereifung Tires	SCHWALBE G-ONE OVERLAND 365, RaceGuard, TLE 50-622 28 x 2,00
Schaltwerk Gearshift	SHIMANO DEORE XT RD-M8130 shadow+	Radschützer Fenders	Aluminium 58 mm
Gänge Gear	derailleur 11-speed	Scheinwerfer Front light	FUXON FL-18EB 30 Lux LED
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
Kassette Cassette	SHIMANO Cues, CS-LG400-11, 11-45t	Gepäckträger Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

CROSS LITE EVO SX BELT

dark petrol matt
525802800445

400 Wh

NEW!

CROSS | TREKKING



ONLINE ORDER



dark petrol matt
525802840445



velvet mint matt
525802890445



BOSCH



100mm

BELT DRIVE

Motor	Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Bremsen	Brakes	SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT10 CL 180 mm SHIMANO SM-RT10 CL / 180 mm
Ladegerät	Charger	Bosch Compact Ladegerät 2A	Lenker	Handlebar	RUMBLE Altimate 35 Riser
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Vorbau	Stem	RUMBLE Altimate
Display	Display	Bosch Intuvia 100 with mini remote and system controller	Sattelstütze	Seatpost	BULLS aluminium 31,6 mm
Rahmen	Frame	6061 aluminium, Monocoque Casting, GPS Ready	Sattel	Saddle	SELLE ROYAL Essenza
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	RYDE XC-21S Tubeless ready
Gabel	Fork	SR SUNTOUR NCX-32-E Air LO 100 mm	Bereifung	Tires	SCHWALBE G-ONE OVERLAND 365, RaceGuard, TLE 50-622 28 x 2,00
Gänge	Gear	Hub Gear 8-speed	Radschützer	Fenders	Aluminium 58 mm
Schalthebel	Shifter	SHIMANO Nexus SL-C6000 Revoshift	Scheinwerfer	Front light	FUXON FL-18EB 30 Lux LED
			Rücklicht	Rear light	FUXON R-Glow S EB BL, mit COB Technologie und Bremslicht
			Gepäckträger	Carrier	MonkeyLoad Iconic Rack 29 System-gepäckträger

LACUBA

[illegible]

LACUBA EVO 9

steel blue matt
846-21845

CROSS LITE | TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



steel blue matt
846-21445



steel blue matt
846-22245



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm*	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm Center Lock 160 Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Remote Display	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	DDM-2
Gabel	Fork	SR SUNTOUR NEX-E25 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Alivio RD-M3100 shadow derailleur 9-speed	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	SHIMANO Alivio SL-M3100	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Schalthebel	Shifter	SHIMANO Alivio SL-M3100	Rücklicht	Rear light	FUXON R-232 EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier bis 27 kg
Kassette	Cassette	SHIMANO CS-HG201-9, 11-36T			

* Software Update gegen Aufpreis auf bis zu 90 Nm möglich.
Software update up to 90 Nm possible at extra cost.

LACUBA EVO 10

light grey
846-23445

CROSS LITE / TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black matt
846-22745



light grey
846-23045



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Display Compact	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men / Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	DDM-2
Gabel	Fork	SR SUNTOUR NCX D LO Air 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur 10-speed	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	SHIMANO Deore SL-M4100	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Rücklicht	Rear light	FUXON R-232 EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO Deore 10-speed, 11-42T			

LACUBA EVO 11

summit lake blue
846-24245

CROSS LITE | TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



quantum silver
846-23945



quantum silver
846-24745



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Display Compact	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	XC-21 Evo, tubeless ready
Gabel	Fork	SR SUNTOUR NCX-32-E Air LO 75 mm	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Schaltwerk	Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur 11-speed	Scheinwerfer	Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Schalthebel	Shifter	SHIMANO XT SL-M8130-R	Rücklicht	Rear light	FUXON R-Glow EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T			

LACUBA EVO 12

black matt
846-25045

CROSS LITE | TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black matt
846-25445



black matt
846-25845



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUVi, CCS Slot Mount Ready
Display	Display	FIT Display Comfort	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S/M/L: 40 mm, XL: 80 mm)
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	XC-21 Evo, tubeless ready
Gabel	Fork	SR SUNTOUR Mobie-25 Air LOR 75 mm	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur 12-speed	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED
Schalthebel	Shifter	SHIMANO Deore XT SL-M8100, rapidfire+	Rücklicht	Rear light	FUXON R-Glow EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO SLX 12-speed 10-51T			

LACUBA EVO 11 SUV

frozen dark blue matt
846-20645

CROSS LITE | TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



frozen dark blue matt
846-20245



frozen dark blue matt
846-21045



brose



100 mm

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm Center Lock 180 mm Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	ZECURE Sport-SL
Display	Display	FIT Display Compact	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze	Seatpost	Alloy
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Gabel	Fork	BULLS LYTRO 34 Air LOR, Boost 100 mm	Felgen	Rims	XC-21 Evo, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+ derailleur 11-speed	Bereifung	Tires	SCHWALBE G-One Allround 57-622
Gänge	Gear	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+	Radschützer	Fenders	SKS Velo MTB
Schalthebel	Shifter	FSA	Scheinwerfer	Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Kurbelgarnitur	Crankset		Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
			Gepäckträger	Carrier	MonkeyLoad systemcarrier

[illegible]

STREETLINER

[illegible]

STREETLINER EVO

metallic-aventurine
524909010550

CROSS LITE | TREKKING

520 Wh



ONLINE ORDER



metallic-aventurine
524909050545



metallic-aventurine
524909090545



BAFANG



75mm

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-M280, hydraulic disc brake, TEKTRO 180 mm 6-bolt TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Trekking-SL Comfort
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS SUV-S, CCS Slot Mount ready
Display	Display	FIT Compact Display	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Essenza Plus
Rahmenhöhe	Framesize	Diamant M/L/XL, Trapez S/M/L, Wave S/M/L	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR NEX-E25 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur 10-speed	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Kassette	Cassette	SHIMANO CS-M4100 11-46T	Gepäckträger	Carrier	MonkeyLoad systemcarrier

[illegible]

VUCA

[illegible]

VUCA EVO SPEED FSX1

VUCA | SPEED

monza grey-matt
524909930741

720 Wh / 960 Wh



ONLINE ORDER



Motor	Drive Unit	FIT Pinion E-Drive 12 Speed	Bremsen	Brakes	TEKTRO HD-EU835, hydraulic disc brake, TRP R203S01E 203 mm 6-bolt TRP R203S01E 203 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Vorbau	Stem	SUVi-2, CCS Slot Mount ready
Display	Display	FIT Compact Display	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Sattel	Saddle	SELLE ROYAL in BULLS Design
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 120 mm	Bereifung	Tires	SCHWALBE Johnny Watts 365 Performance RaceGuard 60-622
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Scheinwerfer	Front light	SUPERNOVA M99 Mini Pure 45 FLS.1
Schalthebel	Shifter	E-Trigger	Rücklicht	Rear light	SUPERNOVA M99 TL2 RL2.1
			Gepäckträger	Carrier	MonkeyLoad systemcarrier

[illegible]

TOKEE

[illegible]

TOKEE DISC EVO 20

pro blue matt
524908570225

260 Wh

TOKEE / JUNIOR



ONLINE ORDER



BAFANG



63 mm

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake, TEKTRO 160 mm 6-bolt TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	260 Wh: appx. 2,8 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Kids
Fahrergröße	Rider height	110–130 cm	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCT-JR 20 DS 63 mm	Bereifung	Tires	VEE TIRE Crown Gem 57-406
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY300	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 7-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO SL-RV400-7			
Kassette	Cassette	SHIMANO CS-HG200, 12-32T			

TOKEE DISC EVO 24

pro blue matt
524908610230

260 Wh



TOKEE / JUNIOR

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



BAFANG



80 mm

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake TEKTRO 160 mm 6-bolt, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	260 Wh: appx. 2,8 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Kids
Fahrergröße	Rider height	120–145 cm	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCT-JR 24 DS 80 mm	Bereifung	Tires	VEE TIRE Crown Gem 57-507
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY300	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 7-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO SL-RV400-7			
Kassette	Cassette	SHIMANO CS-HG200, 12-32T			

TOKEE DISC EVO 26

pro blue matt
524908650532

TOKEE / JUNIOR

520 Wh



ONLINE ORDER



BAFANG



80 mm

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake, TEKTRO 180 mm 6-bolt TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	520 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Kids
Fahrergröße	Rider height	135-165 cm	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 DS 80 mm	Bereifung	Tires	VEE TIRE Crown Gem 57-559
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur 8-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M315 Rapidfire Plus			
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			

TOKEE EVO SX 26

dark chrome silver matt, heavy meadow green
525800290434

400 Wh



NEW!

TOKEE / JUNIOR

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



alpine grey, dark petrol matt
525800280434



BOSCH



80 mm

Motor Drive Unit	Bosch Performance Line SX (Smart System) 25/55 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch Compact Ladegerät 2A	Bremsen Brakes	TEKTRO HD-J285 hydraulic disc brake TEKTRO TR180 6-bolt TEKTRO TR180 6-bolt
Ladedauer Charging time	400 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS Sport-S riserbar
Display Display	Bosch System Controller	Vorbau Stem	RUMBLE Altimeter
Rahmen Frame	6061 aluminium, Monocoque Casting, integrated rear light	Sattelstütze Seatpost	Aluminium, 31.6 mm
Fahrergröße Rider height	135-165 cm	Sattel Saddle	BULLS Kids Sport
Gabel Fork	BULLS LYTRO Airmag 32 80 mm	Felgen Rims	BULLS DDM-22
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	SCHWALBE Smart Sam Performance 57-559 26 x 2,25
Gänge Gear	derailleur 8-speed	Scheinwerfer Front light	MonkeyLink Connect 2.0 (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 Rapidfire Plus	Rücklicht Rear light	MonkeyLink Twinlight
Kurbelgarnitur Crankset	32T		